

Ask an expert or to make an appointment call **1.877.CALLNJH** (1.877.225.5654)

REGISTER NOW

to Receive FREE Health Tips, Research Findings, Ways to Support Our Mission, News & More in Your E-Mail Box

Visit njhealth.org/e-news for more information.

Follow us online!

facebook facebook.com/NJHealth

You Tube youtube.com/NationalJewish



MEDfacts

An Educational Health Series From National Jewish Health®

Using A Diskus®

Many medications are available as inhaled treatments. Inhaled methods deliver medication directly to the airway, which is helpful for lung diseases. The patient and health care provider can choose from a variety of delivery systems for inhaling medication.

A Diskus[®] consists of a plastic device containing powdered medication. A Diskus[®] is breath activated. This means when you inhale, the Diskus automatically releases the medication. When inhaled correctly, the medication has a better chance to reach the small airways. This increases the medication's effectiveness. The portable size, efficiency and convenience make the Diskus[®] a desirable method for inhalation treatment.

The following steps outline the best method to use a Diskus®.

Before Using a <u>New</u> Diskus®:

• Take the diskus out of the foil wrapper. Check the foil pouch to see when the diskus must be used. Depending on the medicine in the device the Diskus[®] must be used within four to six weeks of opening the foil wrapper.

Taking an Inhaled Treatment:

- Hold the Diskus[®] level with one hand.
- Place the thumb of the other hand on the thumb grip.



• Push your thumb away from you until the Diskus[®] clicks. This will open the Diskus[®] so you can see the mouthpiece.



• Hold the Diskus[®] level and slide the lever away from you until the Diskus[®] clicks. This will load the medication. Keep the Diskus[®] level so you don't lose the medication.



- Hold the Diskus[®] level and away from your mouth and gently breathe out. Never exhale into the Diskus[®].
- Seal your lips around the mouthpiece.



- Inhale rapidly and deeply. Continue to take a full, deep breath.
- Hold your breath for up to ten seconds. This allows the medication time to deposit in the airways.
- Resume normal breathing.
- Close the Diskus[®] by placing your thumb on the thumpgrip. Pull your thumb toward you until the Diskus[®] clicks. The mouthpiece will be hidden and the lever will be reset.

 If the medicine you are taking is Advair Diskus[®], rinse your mouth after using the Diskus[®].

Identifying When the Diskus is Empty:

• The Diskus[®] has a dose indicator on the top of the device. Numbers on the dose indicator show how many doses are left in the Diskus[®].



- When there are five doses left in the Diskus[®] the numbers on the dose indicator will turn red. This means the Diskus[®] is almost empty.
- When the red number is at 0 the diskus is empty. Plan to get a new Diskus[®] before the dose indicator gets to 0.

Care and Cleaning:

If the mouthpiece is dirty, wipe it with a cloth. Do hot put the Diskus[®] in water. Keep the Diskus[®] closed when not in use.

Note: This information is provided to you as an educational service of LUNG LINE® (1.800.222.LUNG). It is not meant to be a substitute for consulting with your own physician

©Copyright May 1998, 2003, 2007, 2009, 2014 NATIONAL JEWISH HEALTH. PTE.093