

## Social Distancing, Self-Isolation and Self-Quarantine

### May 16, 2021 Update

Fully vaccinated people (two weeks after single dose vaccine or second of a 2-dose vaccine):

- You may resume pre-pandemic activities without wearing a mask or physically distancing
- Follow federal, state, local, tribal or territorial laws, rules and regulations
- Follow local business and workplace guidelines
- Wear a mask on planes, buses, trains and other public transportation in the U.S.
- You do not need to get tested before or self-quarantine after travel within the U.S.
- You still need to follow international travel requirements
- Unless you have symptoms, you don't need to self-quarantine or get tested after being around someone with COVID-19.
- If you live/work in a correctional, detention or homeless shelter, you will need to self-quarantine and get tested if exposed.
- Watch for COVID-19 symptoms, get tested and stay home and away from others
- Those with a weakened immune system should talk with their doctor about precautions

Source: [The Centers for Disease Control and Prevention](#)

### What is social distancing and how will it help slow the COVID-19 virus?

Social distancing is a public health tactic used to slow down the spread of a contagious disease. When a person coughs or sneezes, a spray of small liquid droplets goes into the air. If you are too close, you can breathe in the droplets and any virus the droplets may contain. Social distancing is being careful about what you are exposed to and who you are around.

### Do I need to stay home even if I feel healthy?

Yes. You can have the virus without having any symptoms.

Even if you feel healthy, it's important to stay home as much as possible to protect others and to help stop the virus from spreading.

### Helping older adults

Older adults, especially those with heart or lung conditions or a weakened immune system, need to stay home and away from people to prevent getting sick.

It's also important to keep older adults connected with family and friends. Call, Facetime or stream a movie to watch together. Help them with their grocery shopping.



## Social Distancing Tips

### Home

- Stay at least six feet away from others, especially those show symptoms of illness.
- Keep your normal daily routines and schedules.
- Exercise every day if possible.
- Avoid social gatherings of 10 or more people.
- Connect with family and friends by phone, face chat or other online communication device.
- Replace hugs and handshakes with elbow or foot bumping, a head nod, a slight bow, or other no-touch greeting.
- Being away from others can be stressful. Manage stress with deep breathing, yoga, meditation, laughter or other activities.
- Stream movies to watch.

### Work

- Work from home and attend meetings by phone or video conferencing.
- Cancel or postpone large group meetings and optional travel.

### Going Outside

- Take a walk or go on a hike, but keep at least six feet of distance from others.
- Sit outside to get fresh air and sunshine.
- If you order food from a restaurant, use drive-through, pickup or delivery options. Wash your hands when you get home. Transfer food to your own plates and recycle the containers. Wash your hands before you eat.
- Avoid traveling that is not absolutely necessary.
- Do not visit nursing homes, retirement or senior centers, or long-term care facilities.
- Avoid medical and dental appointments that are not absolutely necessary.
- Use delivery or pick-up options at the grocery store or go to the store at off-peak times when it is not busy.

### What is self-quarantine?

If you have been exposed to the COVID-19 virus, the CDC recommends that you self-quarantine for 14 days. It takes two weeks for symptoms to appear. To self-quarantine, you need to stay home and away from others as much as possible. Continue to practice respiratory hygiene by covering coughs and sneezes and personal hygiene by washing your hands often with soap and water. Don't share towels, dishes, drinks, etc. Stay at least six feet away from other people.

### What is isolation?

If you have been tested and are confirmed to have COVID-19, you need to be isolated from others until you are no longer contagious. Isolation can happen at home or at a health care facility if your doctor feels that is necessary.

During home isolation:

- Stay away from others and pets as much as possible.
- Use a separate bathroom and sleep away from others in a separate room.
- Continue to wash your hands often with soap and water.
- Don't share towels, dishes, drinks, etc.
- Do not have visitors.
- Stay at least six feet away from other people in your house.
- Monitor your symptoms and let your doctor know if you are not feeling better, or if you have another health condition that is affected.

Visit our website for more information about support groups, clinical trials and lifestyle information.

© Copyright 2021

NOTE: This information is provided to you as an educational service of National Jewish Health. It is not meant to be a substitute for consulting with your own physician.

**National Jewish Health** is the leading respiratory hospital in the nation. Founded 123 years ago as a nonprofit hospital, National Jewish Health today is the only facility in the world dedicated exclusively to groundbreaking medical research and treatment of patients with respiratory, cardiac, immune and related disorders. Patients and families come to National Jewish Health from around the world to receive cutting-edge, comprehensive, coordinated care. To learn more, visit [njhealth.org](http://njhealth.org).